

O... I love you so!



“O” sey **ORIENT**<sup>TM</sup> *Pehli Chahat*



## Orient Refrigerators Specification

Product Type	ICE PEARL				INVOGUE		CROMATIC	
Model No.	OR-6057	OR-6047	OR-5554	OR-5544	OR-6047GD	OR-6057GD	OR-68635CR	OR-686750CR
<b>Volume/Capacity</b>								
Gross Volume Total (Liters-C.Ft)	486 - 17.16	455 - 16.06	437 - 15.43	408 - 14.40	455 - 16.06	486 - 17.16	673 - 22.21	629 - 23.76
Gross Volume Fridge (Liters-C.Ft)	314 - 11.09	283 - 9.99	282 - 9.96	253 - 8.93	283 - 9.99	314 - 11.09	438 - 13.98	394 - 15.53
Gross Volume Freezer (Liters-C.Ft)	172 - 6.07	172 - 6.07	155 - 5.44	155 - 5.44	172 - 6.07	172 - 6.07	235 - 8.23	235 - 8.23
Net Volume Total (Liters-C.Ft)	368 - 13	341.5 - 12.06	326 - 11.52	303 - 10.71	341.5 - 12.06	368 - 13	530 - 18.72	419 - 17.34
Net Volume Fridge (Liters-C.Ft)	242 - 8.55	215.5 - 7.61	211 - 7.44	188 - 6.63	215.5 - 7.61	242 - 8.55	344 - 12.15	305 - 10.77
Net Volume Freezer (Liters-C.Ft)	126 - 4.45	126 - 4.45	115 - 4.08	115 - 4.08	126 - 4.45	126 - 4.451	186 - 6.57	186 - 6.57
<b>Cooling System</b>								
Compressor Type & Number	Danfoss	Danfoss	Danfoss	Danfoss	Danfoss	Danfoss	Danfoss	Danfoss
Refrigerant	134a	134a	134a	134a	134a	134a	134a	134a
Foaming Agent	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane	Cyclopentane
Power Voltage	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz
Power Input (watt)	140	140	130	130	140	140	155	155
Power Plug Type	3 Pin Molded	3 Pin Molded	3 Pin Molded	3 Pin Molded	3 Pin Molded	3 Pin Molded	3 Pin Molded	3 Pin Molded
Condenser Type	Wire Type	Wire Type	Wire Type	Wire Type	Wire Type	Wire Type	Wire Type	Wire Type
Temperature Control	Thermostate	Thermostate	Thermostate	Thermostate	Thermostate	Thermostate	Thermostate	Thermostate
Energy Consumption (kWh/24)	3.36	3.36	3.12	3.12	3.36	3.36	3.72	3.72
Energy Consumption (kWh/year)	1226.4	1226.4	1138.8	1138.8	1226.4	1226.4	1357.8	1357.8
Climate Class	T	T	T	T	T	T	T	T
RoHS Compatible	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>General Feature</b>								
Number of Doors	2	2	2	2	2	2	2	2
Door Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type & Material	Horizontal	Horizontal	Horizontal	Horizontal	Vertical / ABS	Vertical / ABS	Vertical / ABS	Vertical / ABS
Door Type	VCM	VCM	VCM	VCM	Glass	Glass	VCM	VCM
Door Panel Material & Color	VCM-Gray/Beige	VCM-Gray/Beige	VCM- Gray/Beige	VCM-Gray/Beige	Glass-Black / Maron / Golden	Glass-Black / Maron / Golden	VCM-Gray/Beige	VCM-Gray/Beige
Cabinet Color	Silver / Beige	Silver / Beige	Silver / Beige	Silver / Beige	Silver / Beige	Silver / Beige	Beige / Gray	Beige / Gray
<b>Fridge Compartment</b>								
Evaporator Type	Roll Bond/Direct Cool	Roll Bond/Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond	Roll Bond
Defrost	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drain pan (Material-no)	PP-2	PP-2	PP-2	PP-2	PP-2	PP-2	PP-2	PP-2
Interior Lamp	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Adjustable shelf number	3	2	2	3	2	3	3	4
Crisper cover type-number	Drawer-1	Drawer-1	Drawer-1	Drawer-1	Drawer-1	Drawer-1	Drawer-1	Drawer-1
Crisper Drawer Material-Number-Color	GPPS-2 Transparent	GPPS-2-Transparent	GPPS-1-Transparent	GPPS-1-Transparent	GPPS-2-Transparent	GPPS-2-Transparent	GPPS-2-Transparent	GPPS-2-Transparent
Crisper Balcony Material-Number-Color	ABS-4-White	ABS-4-White	ABS-4- White	ABS-4-White	ABS-4-White	ABS-4-White	ABS-5-White	ABS-5-White
Beverage bottle bin	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Egg Tray	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Freezer Compartment</b>								
Freezing Capacity	124 Ltr	124 Ltr	113 Ltr	113 Ltr	124 Ltr	124 Ltr	186 Ltr	124 Ltr
Evaporator Type	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool	Roll Bond / Direct Cool
Ice Cube Tray	2	2	2	2	2	2	2	2
Freezer shelf (Material-No.)	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2	Plastic Coated MS-2
<b>Dimension</b>								
Dimension Product (mm)	603x655x1635	603x655x1635	553x655x1500	553x655x1500	603x655x1635	603x655x1635	683x700x1720	683x700x1835
Dimension Package (mm)	655x665x1690	655x665x1690	605x665x1660	655x665x1560	655x665x1690	655x665x1690	735x715x1735	735x715x1850
20" - 40" HC	24-51-51	24-51-51	27-54-54	27-54-54	24-51-51	24-51-51	24-48-48	24-48-48

## Orient Upright Freezer Specification

Product Type	UPRIGHT FREEZER
Model No.	OF-221-HST
<b>Volume</b>	
Net Volume Total (Ltr)	175
Net volume freezer (Ltr)	175
<b>Cooling System</b>	
Compressor Type & Number	Hermetic-1
Refrigerant	R134a
Foaming Agent	Cyclopentane
Power Voltage	220-240v-50Hz
Power Input (watt)	120
Power Plug Type	Schuko
Condenser Type	External/Back
Temperature Control	Mechanical
Energy Class	A
Energy Consumption (kWh/24h)	0.66
Energy Consumption (kWh/year)	241
Climate Class	N/ST/T
Noise Level dB(A)	39
RoHS compatible	Yes
<b>General Feature</b>	
Number of Doors	1
Plastic Top Cover	Yes - Overhanged door
Reversible Door	Yes
Door lock	Optional
Handle Type & Material	External
Door Type	Rounded corners
Door Panel Material	PCM/VCM/SST
Cabinet Color	White-Silver-Black
<b>Freezer Compartment</b>	
Freezer Rating	4 Star, -18°
Freezing Capacity	6.5 kg/24h
Evaporator Type	Visible
Defrost	Manual
Freezer Drawer Type - Number - Color	Ps - 6 - transparent
<b>Dimension</b>	
Dimension Product (mm)	W550 x D580 x H1430
Dimension Package (mm)	W575 x D605 x H1480
20' - 40' - 40'HC	49-108-140
Weight (kg) Net-Gross	55-60

## Orient Refrigerator Single Door Specification

Product Type	REFRIGERATOR
Model No.	OF-176-SSH
<b>Volume/Capacity</b>	
Gross Volume Total (Ltr)	150
Gross Volume Fridge (Ltr)	130
Gross Volume Freezer (Ltr)	20
Net Volume Total (Ltr)	115
Net Volume Fridge (Ltr)	100
Net volume freezer (Ltr)	15
<b>Cooling System</b>	
Compressor Type & Number	Hermetic-1
Refrigerant	R134a
Foaming Agent	Cyclopentane
Power Voltage	220-240v-50Hz
Power Input (watt)	90
Power Plug Type	Schuko
Condenser Type	Back
Temperature Control	Mechanical
Energy Class	A
Energy Consumption (kWh/24h)	0.41
Energy Consumption (kWh/year)	149
Climate Class	N/ST/T
Noise Level dB(A)	39
RoHS compatible	Yes
<b>General Feature</b>	
Number of Doors	1
Plastic Top Cover	Yes
Reversible Door	Yes
Door lock	Optional
Handle Type & Material	Recessed ABS
Door Type	Rounded corners
Door Panel Material & Color	PCM/VCM/SST
Cabinet Color	White-Silver-Black
<b>Fridge Compartment</b>	
Drain pan (Material-no.)	HIPS-1
Interior Lamp	10W
Adjustable shelf type-number	Wire - 1
Crisper cover type-number	Glass - 1
Crisper Drawer Material-Number-Color	PS -1-transparent
Door Balcony Material-Number-Color	ABS-3-white
Beverage bottle bin	2.0L
Egg Tray	Yes
<b>Freezer Compartment</b>	
Freezer Rating	-3°C
Evaporator Type	Visible
Defrost	Manual
Freezer Flap Type-Number-Color	ABS-1- white
Ice Cube Tray	Yes
<b>Dimension</b>	
Dimension Product (mm)	W500x D580 x H850
Dimension Package (mm)	W530 x D600 x H885
20' - 40' - 40'HC	105-224-254
Weight (kg) Net-Gross	30-32

Product Type	SINGLE DOOR REFRIGERATOR	
Model No.	OR-166-SSM	OR-65-BM
<b>Net/Capacity</b>		
Total(L-cu.ft)	128-4.6	50-1.8
Freezer(L-cu.ft)	22-0.8	-
Refrigerator(L-cu.ft)	106-3.8	50-1.8
<b>Performance</b>		
Climate	T/ST/N	ST
Energy Class	A/B	A/B
Noise Level(dB)	39	39
<b>General Feature</b>		
Color	Silver	Silver
Finishing(PCM/VCM/stainless steel)	VCM	VCM
Flush Back Design	Yes	Yes
Quantity of Door	1	1
Reversible Door	Optional	Optional
Adjustable leg	Yes	Yes
Handle	Recessed	Recessed
Key/Lock	Optional	Optional
Temp Control	Mechanical	Mechanical
Defrosting	Manual	Manual
Refrigerant	R134a	R134a
Foam Blowing Agent	Cyclopentane	Cyclopentane
<b>Fridge Compartment</b>		
Chiller Compartment	-	Yes
Cabinet Shell(Material/No.)	Wire-2	Wire-1
Interior Lamp	Yes	-
Vegetable Crisper	PS-1	-
Vegetable Crisper Cover	Glass-1	-
Door Rack	Simple	Simple
Door Rack Color	White	White
2L Bottle Rack	-	Yes
<b>Refrigerator Compartment</b>		
Star Rating	2	1
Ice Maker	Normal	Normal
<b>Dimension</b>		
Width:mm(Net-Packing)	505-567	472-520
Depth:mm(Net-Packing)	525-576	450-465
Height:mm(Net-Packing)	825-885	492-530
Weight Kg(Net-Gross)	23-25	19-21
Load Capacity *40HQ	251	560



**Head Office:** 26-Km Multan Road, Lahore. **UAN:** (042) 111-111-660  
**Fax:** (042) 7543571, 7543574 **www.ogc.com.pk**

## **S A L E S & S E R V I C E C E N T E R S**

**Lahore Office:**

55-D, Chamberlain Road.  
**UAN:** (042) 111-300-100  
**Tel:** (042) 7232623 **Mob:** 0300-9489105  
**Fax:** (042) 7228329  
**E-mail:** lhr@ogc.com.pk

**Karachi Office:**

7-Queen's Court Building,  
1st Floor, Abdullah Haroon Road.  
**Tel:** (021) 2700325-7 **Fax:** (021) 2700328  
**E-mail:** khi@ogc.com.pk

**Rawalpindi Office:**

94/C, Block-E, Satellite Town,  
Near Holy Family Hospital.  
**Tel:** (051) 4457192-3  
**Fax:** (051) 4424544  
**E-mail:** rwp@ogc.com.pk

**Faisalabad Office:**

6/24, New Civil Lines.  
**Tel:** (041) 2601403-4 **Fax:** (041) 2601405  
**E-mail:** fsd@ogc.com.pk

**Multan Office:**

180-Shamasabad Colony, Eid Gah Road.  
**Tel:** (061) 4582895, 4583649  
**Fax:** (061) 4584316  
**E-mail:** mul@ogc.com.pk

**Gujranwala Office:**

7-C, Satellite Town.  
**Tel:** (055) 3847161-2 **Fax:** (055) 3859253  
**E-mail:** gwr@ogc.com.pk

**Sialkot Office:**

Plot No. 75, Muslim Colony, Sharif Park,  
Street No. 1, Haji Pura Road.  
**Tel:** (052) 3552311-12 **Fax:** (052) 3552313  
**E-mail:** skt@ogc.com.pk

**Jhelum Office:**

B/1/239, Old G.T Road,  
Opp. Pakistan Cadet School, Jada Road.  
**Tel:** (0544) 623199, 623699  
**Fax:** (0544) 624042  
**E-mail:** jlm@ogc.com.pk

**Peshawar Office:**

3A/1, Main Shami Road,  
Near Chit Chat Corner.  
**Tel:** (091) 5284677-8 **Fax:** (091) 5284675  
**E-mail:** pwr@ogc.com.pk

**Sargodha Office:**

40/41, Pir-Muhammad Colony.  
**Tel:** (048) 3765309-10 **Fax:** (048) 3226732  
**E-mail:** sgd@ogc.com.pk

**Sahiwal Office:**

H #. 202, Block 7, Civil Lines, Liaquat Road,  
Opp. Command Girls College (City Campus)  
**Tel:** (040) 4227160-61 **Fax:** (040) 4461737  
**E-mail:** swl@ogc.com.pk

**Bahawalpur Office:**

BX-80, New Sadiq Colony, Opp. Dubai Mahal.  
**Tel:** (062) 2880130-1 **Fax:** (062) 2880132  
**E-mail:** bwp@ogc.com.pk

**Hyderabad Office:**

101/C, Block-D, Unit No. 7, Latifabad.  
**Tel:** (022) 3818602-3  
**Fax:** (022) 3818604  
**E-mail:** hyd@ogc.com.pk

**Sukkhur Office:**

C.D 415, 1.D, Flat No. 2, Ground Floor Galaxy  
Tower, Opp. Wapda Revenue Office,  
Minara Road.  
**Tel:** (071) 5626805-6 **Fax:** (071) 5625696  
**E-mail:** skr@ogc.com.pk